

Dong Hang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/930290/dong-hang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

720
citations

14
h-index

25
g-index

67
ext. papers

1,060
ext. citations

5.4
avg, IF

3.95
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 58 | A novel plasma circular RNA circFARSA is a potential biomarker for non-small cell lung cancer. <i>Cancer Medicine</i> , 2018 , 7, 2783-2791 | 4.8 | 131 |
| 57 | Long-term Risk of Colorectal Cancer After Removal of Conventional Adenomas and Serrated Polyps. <i>Gastroenterology</i> , 2020 , 158, 852-861.e4 | 13.3 | 70 |
| 56 | Human papillomavirus in semen and the risk for male infertility: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2017 , 17, 714 | 4 | 59 |
| 55 | Coffee consumption and plasma biomarkers of metabolic and inflammatory pathways in US health professionals. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 635-647 | 7 | 38 |
| 54 | Worldwide Prevalence of Human Papillomavirus and Relative Risk of Prostate Cancer: A Meta-analysis. <i>Scientific Reports</i> , 2015 , 5, 14667 | 4.9 | 36 |
| 53 | Analysis of human papillomavirus 16 variants and risk for cervical cancer in Chinese population. <i>Virology</i> , 2016 , 488, 156-61 | 3.6 | 34 |
| 52 | Risk Factor Profiles Differ for Cancers of Different Regions of the Colorectum. <i>Gastroenterology</i> , 2020 , 159, 241-256.e13 | 13.3 | 30 |
| 51 | Expression quantitative trait loci in long non-coding RNA PAX8-AS1 are associated with decreased risk of cervical cancer. <i>Molecular Genetics and Genomics</i> , 2016 , 291, 1743-8 | 3.1 | 24 |
| 50 | Independent prognostic role of human papillomavirus genotype in cervical cancer. <i>BMC Infectious Diseases</i> , 2017 , 17, 391 | 4 | 24 |
| 49 | Hepatitis B virus infection and risk of non-alcoholic fatty liver disease: A population-based cohort study. <i>Liver International</i> , 2019 , 39, 70-80 | 7.9 | 22 |
| 48 | Longitudinal associations of lifetime adiposity with leukocyte telomere length and mitochondrial DNA copy number. <i>European Journal of Epidemiology</i> , 2018 , 33, 485-495 | 12.1 | 21 |
| 47 | Evaluation of genetic variants in autophagy pathway genes as prognostic biomarkers for breast cancer. <i>Gene</i> , 2017 , 627, 549-555 | 3.8 | 18 |
| 46 | Vitamin D Status and Risk of All-Cause and Cause-Specific Mortality in a Large Cohort: Results From the UK Biobank. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105, | 5.6 | 17 |
| 45 | Genome-wide association study of cervical cancer suggests a role for ARRDC3 gene in human papillomavirus infection. <i>Human Molecular Genetics</i> , 2019 , 28, 341-348 | 5.6 | 16 |
| 44 | Expression Quantitative Trait Loci for CARD8 Contributes to Risk of Two Infection-Related Cancers--Hepatocellular Carcinoma and Cervical Cancer. <i>PLoS ONE</i> , 2015 , 10, e0132352 | 3.7 | 14 |
| 43 | Concurrence of oral and genital human papillomavirus infection in healthy men: a population-based cross-sectional study in rural China. <i>Scientific Reports</i> , 2015 , 5, 15637 | 4.9 | 12 |
| 42 | HLA-DP is the cervical cancer susceptibility loci among women infected by high-risk human papillomavirus: potential implication for triage of human papillomavirus-positive women. <i>Tumor Biology</i> , 2016 , 37, 8019-25 | 2.9 | 11 |

| | | | |
|----|---|------|----|
| 41 | Metabolomic Signatures of Long-term Coffee Consumption and Risk of Type 2 Diabetes in Women. <i>Diabetes Care</i> , 2020 , 43, 2588-2596 | 14.6 | 10 |
| 40 | Pre-diagnostic circulating concentrations of insulin-like growth factor-1 and risk of COVID-19 mortality: results from UK Biobank. <i>European Journal of Epidemiology</i> , 2021 , 36, 311-318 | 12.1 | 10 |
| 39 | Pre-diagnostic leukocyte mitochondrial DNA copy number and colorectal cancer risk. <i>Carcinogenesis</i> , 2019 , 40, 1462-1468 | 4.6 | 9 |
| 38 | Low-frequency nonsynonymous variants in FKBPL and ARPC1B genes are associated with breast cancer risk in Chinese women. <i>Molecular Carcinogenesis</i> , 2017 , 56, 774-780 | 5 | 9 |
| 37 | Incidence and determinants of spontaneous hepatitis B surface antigen seroclearance and seroconversion in hepatitis B e antigen-negative chronic infection patients: A population-based prospective cohort. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 1588-1598 | 3.4 | 8 |
| 36 | Genetic variants within the cancer susceptibility region 8q24 and ovarian cancer risk in Han Chinese women. <i>Oncotarget</i> , 2017 , 8, 36462-36468 | 3.3 | 8 |
| 35 | Genetic variations within alternative splicing associated genes are associated with breast cancer susceptibility in Chinese women. <i>Gene</i> , 2019 , 706, 140-145 | 3.8 | 7 |
| 34 | Persistence of type-specific human papillomavirus infection among Daqing City women in China with normal cytology: a pilot prospective study. <i>Oncotarget</i> , 2017 , 8, 81455-81461 | 3.3 | 7 |
| 33 | Genetic variants within microRNA-binding site of RAD51B are associated with risk of cervical cancer in Chinese women. <i>Cancer Medicine</i> , 2016 , 5, 2596-601 | 4.8 | 7 |
| 32 | Colorectal cancer susceptibility variants and risk of conventional adenomas and serrated polyps: results from three cohort studies. <i>International Journal of Epidemiology</i> , 2020 , 49, 259-269 | 7.8 | 7 |
| 31 | MicroRNA-101 polymorphisms and risk of head and neck squamous cell carcinoma in a Chinese population. <i>Tumor Biology</i> , 2016 , 37, 4169-74 | 2.9 | 6 |
| 30 | Metabolic Syndrome Components and the Risk of Colorectal Cancer: A Population-Based Prospective Study in Chinese Men. <i>Frontiers in Oncology</i> , 2019 , 9, 1047 | 5.3 | 5 |
| 29 | Risk Factors and Incidence of Colorectal Cancer According to Major Molecular Subtypes. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkaa089 | 4.6 | 5 |
| 28 | KIT polymorphisms were associated with the risk for head and neck squamous carcinoma in Chinese population. <i>Molecular Carcinogenesis</i> , 2017 , 56, 232-237 | 5 | 4 |
| 27 | Effects of potentially functional polymorphisms in suppressor of cytokine signaling 3 (SOCS3) on the risk of head and neck squamous cancer. <i>Journal of Oral Pathology and Medicine</i> , 2017 , 46, 598-602 | 3.3 | 4 |
| 26 | Telomere length in cervical exfoliated cells, interaction with HPV genotype, and cervical cancer occurrence among high-risk HPV-positive women. <i>Cancer Medicine</i> , 2019 , 8, 4845-4851 | 4.8 | 4 |
| 25 | Mitochondrial DNA copy number in cervical exfoliated cells and risk of cervical cancer among HPV-positive women. <i>BMC Women's Health</i> , 2020 , 20, 139 | 2.9 | 4 |
| 24 | Circulating sex hormone levels in relation to male sperm quality. <i>BMC Urology</i> , 2020 , 20, 101 | 2.2 | 4 |

| | | | |
|----|---|------|---|
| 23 | Sex-specific associations of circulating testosterone levels with all-cause and cause-specific mortality. <i>European Journal of Endocrinology</i> , 2021 , 184, 723-732 | 6.5 | 4 |
| 22 | Associations Between Sleep Quality and Health Span: A Prospective Cohort Study Based on 328,850 UK Biobank Participants. <i>Frontiers in Genetics</i> , 2021 , 12, 663449 | 4.5 | 4 |
| 21 | Body fatness over the life course and risk of serrated polyps and conventional adenomas. <i>International Journal of Cancer</i> , 2020 , 147, 1831-1844 | 7.5 | 2 |
| 20 | Plasma metabolomic profiles for colorectal cancer precursors in women.. <i>European Journal of Epidemiology</i> , 2022 , 1 | 12.1 | 2 |
| 19 | Pre-diagnostic circulating concentrations of insulin-like growth factor-1 and risk of COVID-19 mortality: results from UK Biobank | | 2 |
| 18 | Associations of vitamin D status with colorectal cancer risk and survival. <i>International Journal of Cancer</i> , 2021 , 149, 606-614 | 7.5 | 2 |
| 17 | Genetic variants within 17q12 are associated with the risk of cervical cancer in the Han Chinese population. <i>Gene</i> , 2018 , 678, 124-128 | 3.8 | 1 |
| 16 | Sex-Specific Associations of Testosterone and Genetic Factors With Health Span.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 773464 | 5.7 | 1 |
| 15 | Risk prediction models for colorectal cancer: Evaluating the discrimination due to added biomarkers. <i>International Journal of Cancer</i> , 2021 , 149, 1021-1030 | 7.5 | 1 |
| 14 | Risk Assessment for Longitudinal Trajectories of Modifiable Lifestyle Factors on Chronic Kidney Disease Burden in China: A Population-based Study. <i>Journal of Epidemiology</i> , 2021 , | 3.4 | 1 |
| 13 | Sex Hormone and Colorectal Cancer: The Knowns and Unknowns. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1302-1304 | 4 | 1 |
| 12 | Association between birth weight and risk of cardiovascular disease: Evidence from UK Biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2637-2643 | 4.5 | 1 |
| 11 | Association between circulating insulin-like growth factor 1 and risk of all-cause and cause-specific mortality. <i>European Journal of Endocrinology</i> , 2021 , 185, 681-689 | 6.5 | 1 |
| 10 | Plasma sex hormones and risk of conventional and serrated precursors of colorectal cancer in postmenopausal women. <i>BMC Medicine</i> , 2021 , 19, 18 | 11.4 | 1 |
| 9 | Association between environmental composite quality index score and obesity in children and their family: A cross-sectional study in northeast China.. <i>Chemosphere</i> , 2022 , 134204 | 8.4 | 1 |
| 8 | Plasma Biomarkers of Insulin and the Insulin-like Growth Factor Axis, and Risk of Colorectal Adenoma and Serrated Polyp. <i>JNCI Cancer Spectrum</i> , 2019 , 3, pkz056 | 4.6 | 0 |
| 7 | Associations between body shape across the life course and adulthood concentrations of sex hormones in men and pre- and postmenopausal women: a multicohort study. <i>British Journal of Nutrition</i> , 2021 , 1-10 | 3.6 | 0 |
| 6 | Birth Weight and Adult Obesity Index in Relation to the Risk of Hypertension: A Prospective Cohort Study in the UK Biobank. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 637437 | 5.4 | 0 |

- 5 A prospective study of erythrocyte polyunsaturated fatty acids and risk of colorectal serrated polyps and conventional adenomas. *International Journal of Cancer*, **2021**, 148, 57-66 7.5 ○
- 4 Body shape trajectories and mortality in the Seguimiento universidad de Navarra (SUN) cohort. *Nutrition, Metabolism and Cardiovascular Diseases*, **2020**, 30, 1742-1750 4.5
- 3 Red Hair Color Is Associated with Elevated CRP Levels among US Women. *Journal of Investigative Dermatology*, **2021**, 141, 1342-1344 4.3
- 2 Genetic Obesity Variants and Risk of Conventional Adenomas and Serrated Polyps. *Digestive Diseases and Sciences*, **2021**, 1 4
- 1 Association Between Neuroticism and Risk of Lung Cancer: Results From Observational and Mendelian Randomization Analyses.. *Frontiers in Oncology*, **2022**, 12, 836159 5.3