

# Lely A Quina

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9317390/publications.pdf>

Version: 2024-02-01

15  
papers

780  
citations

759055

12  
h-index

996849

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

1228  
citing authors

#	ARTICLE	IF	CITATIONS
1	Brn3a-Expressing Retinal Ganglion Cells Project Specifically to Thalamocortical and Collicular Visual Pathways. <i>Journal of Neuroscience</i> , 2005, 25, 11595-11604.	1.7	161
2	Efferent Pathways of the Mouse Lateral Habenula. <i>Journal of Comparative Neurology</i> , 2015, 523, 32-60.	0.9	124
3	Brn3a and Nurr1 Mediate a Gene Regulatory Pathway for Habenula Development. <i>Journal of Neuroscience</i> , 2009, 29, 14309-14322.	1.7	101
4	Interleukin-6 produces neuronal loss in developing cerebellar granule neuron cultures. <i>Journal of Neuroimmunology</i> , 2004, 155, 43-54.	1.1	95
5	Medial Habenula Output Circuit Mediated by $\hat{1}\pm 5$ Nicotinic Receptor-Expressing GABAergic Neurons in the Interpeduncular Nucleus. <i>Journal of Neuroscience</i> , 2013, 33, 18022-18035.	1.7	74
6	Specific connections of the interpeduncular subnuclei reveal distinct components of the habenulopeduncular pathway. <i>Journal of Comparative Neurology</i> , 2017, 525, 2632-2656.	0.9	52
7	Brn3a target gene recognition in embryonic sensory neurons. <i>Developmental Biology</i> , 2007, 302, 703-716.	0.9	32
8	GAD2 Expression Defines a Class of Excitatory Lateral Habenula Neurons in Mice that Project to the Raphe and Pontine Tegmentum. <i>ENeuro</i> , 2020, 7, ENEURO.0527-19.2020.	0.9	27
9	Dual recombinase fate mapping reveals a transient cholinergic phenotype in multiple populations of developing glutamatergic neurons. <i>Journal of Comparative Neurology</i> , 2020, 528, 283-307.	0.9	26
10	Regulation of the development of tectal neurons and their projections by transcription factors Brn3a and Pax7. <i>Developmental Biology</i> , 2008, 316, 6-20.	0.9	25
11	Deletion of a conserved regulatory element required for Hmx1 expression in craniofacial mesenchyme in the dumbo rat: a novel cause of congenital ear malformation. <i>DMM Disease Models and Mechanisms</i> , 2012, 5, 812-22.	1.2	24
12	Hmx1 is required for the normal development of somatosensory neurons in the geniculate ganglion. <i>Developmental Biology</i> , 2012, 365, 152-163.	0.9	23
13	Mapping Cell Types and Efferent Pathways in the Ascending Relaxin-3 System of the Nucleus Incertus. <i>ENeuro</i> , 2020, 7, ENEURO.0272-20.2020.	0.9	8
14	Genetically Targeted Connectivity Tracing Excludes Dopaminergic Inputs to the Interpeduncular Nucleus from the Ventral Tegmentum and Substantia Nigra. <i>ENeuro</i> , 2021, 8, ENEURO.0127-21.2021.	0.9	5
15	Regulation of FGF10 by POU transcription factor Brn3a in the developing trigeminal ganglion. <i>Journal of Neurobiology</i> , 2006, 66, 1075-1083.	3.7	3