

Suk Kyoon An

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9372451/publications.pdf>

Version: 2024-02-01

108
papers

3,139
citations

147566

31
h-index

182168

51
g-index

112
all docs

112
docs citations

112
times ranked

4637
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	6.0	354
2	Is a neutral face really evaluated as being emotionally neutral?. <i>Psychiatry Research</i> , 2008, 157, 77-85.	1.7	146
3	To discard or not to discard: the neural basis of hoarding symptoms in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2009, 14, 318-331.	4.1	137
4	Attribution bias in ultra-high risk for psychosis and first-episode schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 54-61.	1.1	115
5	Individual differences in disgust sensitivity modulate neural responses to aversive/disgusting stimuli. <i>European Journal of Neuroscience</i> , 2008, 27, 3050-3058.	1.2	85
6	Neural Responses to Facial Expressions of Disgust but not Fear are Modulated by Washing Symptoms in OCD. <i>Biological Psychiatry</i> , 2007, 61, 1072-1080.	0.7	82
7	Genetic fuzzy classifier for sleep stage identification. <i>Computers in Biology and Medicine</i> , 2010, 40, 629-634.	3.9	76
8	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	1.3	74
9	Increased P3 Amplitudes Induced by Alcohol-Related Pictures in Patients With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1317-1323.	1.4	72
10	Relationships between chronotypes and affective temperaments in healthy young adults. <i>Journal of Affective Disorders</i> , 2015, 175, 256-259.	2.0	65
11	Alteration of brain metabolites in young alcoholics without structural changes. <i>NeuroReport</i> , 2007, 18, 1511-1514.	0.6	59
12	The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 257.	0.7	57
13	Neurocognitive impairments in individuals at ultra-high risk for psychosis: Who will really convert?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 462-470.	1.3	54
14	Frontostriatal Connectivity Changes in Major Depressive Disorder After Repetitive Transcranial Magnetic Stimulation. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1137-e1143.	1.1	54
15	Sex Differences in Neural Responses to Disgusting Visual Stimuli: Implications for Disgust-Related Psychiatric Disorders. <i>Biological Psychiatry</i> , 2007, 62, 464-471.	0.7	53
16	Antipsychotic polypharmacy and high-dose prescription in schizophrenia: a 5-year comparison. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 52-60.	1.3	51
17	Structural Brain Alterations in Individuals at Ultra-high Risk for Psychosis: A Review of Magnetic Resonance Imaging Studies and Future Directions. <i>Journal of Korean Medical Science</i> , 2010, 25, 1700.	1.1	48
18	Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.	0.9	46

#	ARTICLE	IF	CITATIONS
19	Reduced P3 amplitudes by negative facial emotional photographs in schizophrenia. <i>Schizophrenia Research</i> , 2003, 64, 125-135.	1.1	45
20	Impaired facial emotion recognition in individuals at ultra-high risk for psychosis and with first-episode schizophrenia, and their associations with neurocognitive deficits and self-reported schizotypy. <i>Schizophrenia Research</i> , 2015, 165, 60-65.	1.1	45
21	Regional Brain Atrophy and Functional Disconnection in Broca's Area in Individuals at Ultra-High Risk for Psychosis and Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e51975.	1.1	44
22	Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1258-1267.	2.3	42
23	Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 197-203.	1.1	42
24	Theta-gamma coupling during a working memory task as compared to a simple vigilance task. <i>Neuroscience Letters</i> , 2013, 532, 39-43.	1.0	41
25	FKBP5 polymorphisms as vulnerability to anxiety and depression in patients with advanced gastric cancer: A controlled and prospective study. <i>Psychoneuroendocrinology</i> , 2012, 37, 1569-1576.	1.3	40
26	Reduced visual P300 amplitudes in individuals at ultra-high risk for psychosis and first-episode schizophrenia. <i>Neuroscience Letters</i> , 2010, 486, 156-160.	1.0	37
27	Temperament and character in individuals at ultra-high risk for psychosis and with first-episode schizophrenia: Associations with psychopathology, psychosocial functioning, and aspects of psychological health. <i>Comprehensive Psychiatry</i> , 2013, 54, 1161-1168.	1.5	36
28	Positive and negative symptoms and regional cerebral perfusion in antipsychotic-naïve schizophrenic patients: a high-resolution SPECT study. <i>Psychiatry Research - Neuroimaging</i> , 1999, 90, 159-168.	0.9	35
29	APOLIPOPROTEIN E GENE POLYMORPHISM, ALCOHOL USE, AND THEIR INTERACTIONS IN COMBAT-RELATED POSTTRAUMATIC STRESS DISORDER. <i>Depression and Anxiety</i> , 2013, 30, 1194-1201.	2.0	35
30	Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.	1.1	34
31	Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 763-770.	1.3	33
32	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluoroflumazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	2.3	33
33	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	0.5	32
34	Associations between actigraphy-assessed sleep, inflammatory markers, and insulin resistance in the Midlife Development in the United States (MIDUS) study. <i>Sleep Medicine</i> , 2016, 27-28, 72-79.	0.8	32
35	Neurocognitive performance in subjects at ultrahigh risk for schizophrenia: a comparison with first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2011, 52, 33-40.	1.5	31
36	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 539.	0.7	31

#	ARTICLE	IF	CITATIONS
37	Genetic Influence of COMT and BDNF Gene Polymorphisms on Resilience in Healthy College Students. <i>Neuropsychobiology</i> , 2013, 68, 174-180.	0.9	29
38	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
39	Reduced DNA Methylation of the Oxytocin Receptor Gene Is Associated With Anhedonia-Asociality in Women With Recent-Onset Schizophrenia and Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 1279-1290.	2.3	27
40	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.	0.7	27
41	Decreased P3 amplitudes elicited by negative facial emotion in manic patients: Selective deficits in emotional processing. <i>Neuroscience Letters</i> , 2010, 481, 92-96.	1.0	26
42	Shape deformation of the insula in schizophrenia. <i>NeuroImage</i> , 2006, 32, 220-227.	2.1	25
43	Differential alteration of automatic semantic processing in treated patients affected by bipolar mania and schizophrenia: An N400 study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 38, 194-200.	2.5	25
44	Small-world networks in individuals at ultra-high risk for psychosis and first-episode schizophrenia during a working memory task. <i>Neuroscience Letters</i> , 2013, 535, 35-39.	1.0	25
45	Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 201.	0.7	25
46	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 186.	0.7	25
47	Gamma oscillatory activity in relation to memory ability in older adults. <i>International Journal of Psychophysiology</i> , 2012, 86, 58-65.	0.5	24
48	Perception bias of disgust in ambiguous facial expressions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 178, 126-131.	1.7	22
49	Psychotic conversion of individuals at ultra-high risk for psychosis: The potential roles of schizotypy and basic symptoms. <i>Microbial Biotechnology</i> , 2019, 13, 546-554.	0.9	22
50	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	0.9	21
51	Differences of Photographs Inducing Craving Between Alcoholics and Non-alcoholics. <i>Yonsei Medical Journal</i> , 2006, 47, 491.	0.9	20
52	Association of DRD4 and COMT Polymorphisms with Disgust Sensitivity in Healthy Volunteers. <i>Neuropsychobiology</i> , 2010, 61, 105-112.	0.9	20
53	Experiential pleasure deficits in the prodrome: A study of emotional experiences in individuals at ultra-high risk for psychosis and recent-onset schizophrenia. <i>Comprehensive Psychiatry</i> , 2016, 68, 209-216.	1.5	20
54	What factors are related to delayed treatment in individuals at high risk for psychosis?. <i>Microbial Biotechnology</i> , 2010, 4, 124-131.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Distinct functional connectivity of limbic network in the washing type obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 53, 149-155.	2.5	19
56	Aberrant cerebro-cerebellar functional connectivity and minimal self-disturbance in individuals at ultra-high risk for psychosis and with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 138-140.	1.1	19
57	A descriptive study of pathways to care of high risk for psychosis adolescents in Korea. <i>Microbial Biotechnology</i> , 2010, 4, 119-123.	0.9	18
58	Neural Evidence for Emotional Involvement in Pathological Alcohol Craving. <i>Alcohol and Alcoholism</i> , 2013, 48, 288-294.	0.9	18
59	Behavioral evidence of blunted and inappropriate affective responses in schizophrenia: Lack of a "negativity bias". <i>Psychiatry Research</i> , 2006, 142, 53-66.	1.7	17
60	Aberrantly flattened responsivity to emotional pictures in paranoid schizophrenia. <i>Psychiatry Research</i> , 2006, 143, 135-145.	1.7	17
61	Attributional Style in Healthy Persons: Its Association with 'Theory of Mind' Skills. <i>Psychiatry Investigation</i> , 2013, 10, 34.	0.7	17
62	Neural substrates associated with evaluative processing during co-activation of positivity and negativity: A PET investigation. <i>Biological Psychology</i> , 2006, 73, 253-261.	1.1	16
63	Impaired Facial Emotion Recognition in Individuals at Ultra-High Risk for Psychosis and Associations With Schizotypy and Paranoia Level. <i>Frontiers in Psychiatry</i> , 2020, 11, 577.	1.3	16
64	Cox Proportional Hazard Regression Versus a Deep Learning Algorithm in the Prediction of Dementia: An Analysis Based on Periodic Health Examination. <i>JMIR Medical Informatics</i> , 2019, 7, e13139.	1.3	16
65	Theory of Mind as a Mediator of Reasoning and Facial Emotion Recognition: Findings from 200 Healthy People. <i>Psychiatry Investigation</i> , 2014, 11, 105.	0.7	15
66	Factors Associated With Psychosocial Functioning and Outcome of Individuals With Recent-Onset Schizophrenia and at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 459.	1.3	14
67	Suicidal ideation in individuals at ultra-high risk for psychosis and its association with suspiciousness independent of depression. <i>Microbial Biotechnology</i> , 2019, 13, 539-545.	0.9	13
68	Greater Impairment in Negative Emotion Evaluation Ability in Patients with Paranoid Schizophrenia. <i>Yonsei Medical Journal</i> , 2006, 47, 343.	0.9	12
69	Psychometric analysis of the Korean version of the Disgust Scale-Revised. <i>Comprehensive Psychiatry</i> , 2012, 53, 648-655.	1.5	11
70	Coping styles in individuals at ultra-high risk for psychosis: Associations with cognitive appraisals. <i>Psychiatry Research</i> , 2018, 264, 162-168.	1.7	11
71	Cognitive Behavioral Therapy for Insomnia Reduces Hypnotic Prescriptions. <i>Psychiatry Investigation</i> , 2018, 15, 499-504.	0.7	11
72	Common variants of HTR3 genes are associated with obsessive-compulsive disorder and its phenotypic expression. <i>Scientific Reports</i> , 2016, 6, 32564.	1.6	10

#	ARTICLE	IF	CITATIONS
73	Oxytocin receptor gene variants are associated with emotion recognition and resilience, but not with false-belief reasoning performance in healthy young Korean volunteers. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 519-526.	1.9	10
74	Changes in resting-state brain connectivity following computerized cognitive behavioral therapy for insomnia in dialysis patients: A pilot study. <i>General Hospital Psychiatry</i> , 2020, 66, 24-29.	1.2	10
75	Population-based dementia prediction model using Korean public health examination data: A cohort study. <i>PLoS ONE</i> , 2019, 14, e0211957.	1.1	9
76	Psychotic Features as the First Manifestation of 22q11.2 Deletion Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 72.	0.7	8
77	Associations of systemic inflammation with frontotemporal functional network connectivity and out-degree social-network size in community-dwelling older adults. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 309-313.	2.0	8
78	Aberrant Tendency of Noncurrent Emotional Experiences in Individuals at Ultra-High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2018, 15, 876-883.	0.7	8
79	Differential priming effect for subliminal fear and disgust facial expressions. <i>Attention, Perception, and Psychophysics</i> , 2011, 73, 473-481.	0.7	7
80	Fragile Self and Malevolent Others: Biased Attribution Styles in Individuals at Ultra-High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2018, 15, 796-804.	0.7	7
81	“Reading the Mind in the Eyes Test”: Translated and Korean Versions. <i>Psychiatry Investigation</i> , 2021, 18, 295-303.	0.7	7
82	Reading the Mind in the Eyes Test: Relationship with Neurocognition and Facial Emotion Recognition in Non-Clinical Youths. <i>Psychiatry Investigation</i> , 2020, 17, 835-839.	0.7	7
83	Impact of Delirium on Clinical Outcomes in Intensive Care Unit Patients: An Observational Study in a Korean General Hospital. <i>Journal of Korean Neuropsychiatric Association</i> , 2014, 53, 418.	0.2	7
84	Genetic variation in cytokine genes and risk for transition to psychosis among individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2018, 195, 589-590.	1.1	6
85	Reduced activation of the ventromedial prefrontal cortex during self-referential processing in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 528-538.	1.3	6
86	Increased resting-state cerebellar-cortical connectivity in breast cancer survivors with cognitive complaints after chemotherapy. <i>Scientific Reports</i> , 2021, 11, 12105.	1.6	6
87	Emotional Priming With Facial Exposures in Euthymic Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 971-977.	0.5	5
88	Shame and guilt in youth at ultra-high risk for psychosis. <i>Comprehensive Psychiatry</i> , 2021, 108, 152241.	1.5	5
89	Sex-specific association of hair cortisol concentration with stress-related psychological factors in healthy young adults. <i>Biology of Sex Differences</i> , 2021, 12, 56.	1.8	4
90	Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. <i>Psychological Medicine</i> , 2023, 53, 2017-2030.	2.7	4

#	ARTICLE	IF	CITATIONS
91	Working Memory Deficits in Ultra-High Risk for Psychosis and Schizophrenia. Korean Journal of Schizophrenia Research, 2012, 15, 66.	0.3	3
92	Deactivation of anterior cingulate cortex during virtual social interaction in obsessive-compulsive disorder. Psychiatry Research - Neuroimaging, 2020, 304, 111154.	0.9	3
93	Emotional Dysregulation, Attributional Bias, Neurocognitive Impairment in Individuals at Ultra-High Risk for Psychosis and with Schizophrenia : Its Association with Paranoia. Korean Journal of Schizophrenia Research, 2014, 17, 63.	0.3	2
94	Ultra-High Risk for Psychosis : Clinical Characteristics and Diagnosis. Journal of Korean Neuropsychiatric Association, 2018, 57, 210.	0.2	2
95	Empathy and Theory of Mind in Ultra-High Risk for Psychosis: Relations With Schizotypy and Executive Function. Psychiatry Investigation, 2021, 18, 1109-1116.	0.7	2
96	Effect of Childhood Trauma on the Association Between Stress-Related Psychological Factors and Hair Cortisol Level in Young Adults. Psychiatry Investigation, 2021, 18, 1131-1136.	0.7	1
97	Biased to contempt and deficits of the negative facial emotion recognition in patients with schizophrenia. International Clinical Psychopharmacology, 2011, 26, e99.	0.9	0
98	Violent behavior in individuals with schizophrenia. Journal of the Korean Medical Association, 2016, 59, 947.	0.1	0
99	PM456. Aberrant cortico-cerebellar connectivity of the default mode network in individuals at ultra-high risk for psychosis: a resting-state fMRI study. International Journal of Neuropsychopharmacology, 2016, 19, 65-66.	1.0	0
100	PM462. Impaired self-referential processing in patients with first-episode schizophrenia: an event-related potential study. International Journal of Neuropsychopharmacology, 2016, 19, 68-68.	1.0	0
101	T57. IMPAIRED FACIAL EMOTION RECOGNITION IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS: CORRELATIONS WITH SCHIZOTYPY AND PARANOID LEVEL. Schizophrenia Bulletin, 2020, 46, S253-S253.	2.3	0
102	S73. RELATIONSHIP OF COGNITIVE ABILITY AND PERSONALITY TRAITS WITH HOSTILE ATTRIBUTION BIAS IN NONCLINICAL SUBJECTS: THEORY OF MIND AS A MEDIATOR. Schizophrenia Bulletin, 2020, 46, S62-S62.	2.3	0
103	Associations of Self-Consciousness with Insomnia Symptoms. Chronobiology in Medicine, 2021, 3, 25-30.	0.2	0
104	Empathic Tendency and Theory of Mind Skills in Young Individuals with Schizophrenia: Its Associations with Self-Reported Schizotypy and Executive Function. Korean Journal of Schizophrenia Research, 2021, 24, 26-35.	0.3	0
105	Predicting Working Memory Capacity in Older Subjects Using Quantitative Electroencephalography. Psychiatry Investigation, 2018, 15, 790-795.	0.7	0
106	The Associations between Anger Expression and Insomnia among Community-Dwelling Older Adults in Korea. Chronobiology in Medicine, 2019, 1, 86-93.	0.2	0
107	Sex differences in the association between social relationships and insomnia symptoms. Journal of Clinical Sleep Medicine, 2020, 16, 1871-1881.	1.4	0
108	The stress-vulnerability model on the path to schizophrenia: Interaction between BDNF methylation and schizotypy on the resting-state brain network. NPJ Schizophrenia, 2022, 8, .	2.0	0