
Linda Ernstsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9519098/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Trends in absolute and relative educational inequalities in four modifiable ischaemic heart disease risk factors: repeated cross-sectional surveys from the Nord-TrÃ,ndelag Health Study (HUNT) 1984–2008. BMC Public Health, 2012, 12, 266.	2.9	105
2	Educational and wealth inequalities in tobacco use among men and women in 54 low-income and middle-income countries. Tobacco Control, 2018, 27, 26-34.	3.2	72
3	Midlife Physical Activity, Psychological Distress, and Dementia Risk: The HUNT Study. Journal of Alzheimer's Disease, 2018, 66, 825-833.	2.6	49
4	Mental health and sleep disturbances in physically active adults during the COVID-19 lockdown in Norway: does change in physical activity level matter?. Sleep Medicine, 2021, 77, 309-312.	1.6	47
5	Protective Effect of Regular Physical Activity on Depression After Myocardial Infarction: The HUNT Study. American Journal of Medicine, 2016, 129, 82-88.e1.	1.5	32
6	Nonexercise Estimated Cardiorespiratory Fitness and Mortality Due to All Causes and Cardiovascular Disease. Mayo Clinic Proceedings Innovations, Quality & Outcomes, 2017, 1, 16-25.	2.4	30
7	Change in Physical Activity During the Coronavirus Disease 2019 Lockdown in Norway: The Buffering Effect of Resilience on Mental Health. Frontiers in Psychology, 2020, 11, 598481.	2.1	29
8	Nonexercise Estimated Cardiorespiratory Fitness and All-Cancer Mortality: the NHANES III Study. Mayo Clinic Proceedings, 2018, 93, 848-856.	3.0	28
9	Educational inequalities in ischaemic heart disease mortality in 44,000 Norwegian women and men: The influence of psychosocial and behavioural factors. The HUNT Study. Scandinavian Journal of Public Health, 2010, 38, 678-685.	2.3	23
10	The predictive ability of self-rated health on ischaemic heart disease and all-cause mortality in elderly women and men: the Nord-Trondelag Health Study (HUNT). Age and Ageing, 2011, 40, 105-111.	1.6	23
11	Cross-sectional and longitudinal association of non-exercise estimated cardiorespiratory fitness with depression and anxiety in the general population: The HUNT study. Journal of Affective Disorders, 2019, 252, 122-129.	4.1	23
12	Cardiorespiratory Fitness and the Risk of First Acute Myocardial Infarction: The HUNT Study. Journal of the American Heart Association, 2019, 8, e010293.	3.7	20
13	Cross-sectional and longitudinal associations between different exercise types and food cravings in free-living healthy young adults. Appetite, 2017, 118, 82-89.	3.7	17
14	Long-term Changes in Depressive Symptoms and Estimated Cardiorespiratory Fitness and Risk of All-Cause Mortality: The Nord-TrÃ,ndelag Health Study. Mayo Clinic Proceedings, 2018, 93, 1054-1064.	3.0	15
15	Associations of Changes in Cardiorespiratory Fitness and Symptoms of Anxiety and Depression With Brain Volumes: The HUNT Study. Frontiers in Behavioral Neuroscience, 2019, 13, 53.	2.0	13
16	Racial Differences in the Association Between Nonexercise Estimated Cardiorespiratory Fitness and Incident Stroke. Mayo Clinic Proceedings, 2018, 93, 884-894.	3.0	12
17	The impact of a sense of coherence in employees with chronic pain. Work, 2015, 50, 313-322.	1.1	11
18	Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. Sports Medicine, 2022, 52, 1689-1699.	6.5	11

LINDA ERNSTSEN

#	Article	IF	CITATIONS
19	Cardiorespiratory Fitness and All-Cause Mortality in Men With Emotional Distress. Mayo Clinic Proceedings, 2017, 92, 918-924.	3.0	10
20	Leisure-Time Physical Activity Is Associated With Reduced Risk of Dementia-Related Mortality in Adults With and Without Psychological Distress: The Cohort of Norway. Frontiers in Aging Neuroscience, 2018, 10, 151.	3.4	10
21	Sex Differences on Montreal Cognitive Assessment and Mini-Mental State Examination Scores and the Value of Self-Report of Memory Problems among Community Dwelling People 70 Years and above: The HUNT Study. Dementia and Geriatric Cognitive Disorders, 2021, 50, 74-84.	1.5	9
22	Breakfast skipping and overweight/obesity in first grade primary school children: A nationwide registerâ€based study in Iceland. Clinical Obesity, 2020, 10, e12384.	2.0	6
23	Physical functioning after occupational rehabilitation and returning to work among employees with chronic musculoskeletal pain and comorbid depressive symptoms. Journal of Multidisciplinary Healthcare, 2014, 7, 55.	2.7	5
24	O2â€05â€05: MODERATEâ€TOâ€VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: T STUDY AND THE HEALTH AND MEMORY STUDY IN NORDâ€TRÃ~NDELAG. Alzheimer's and Dementia, 2018, 14, P628.	THE HUNT 0.8	0
25	Social Disadvantage and Cardiovascular Disease Risk. , 2015, , 1-17.		0
26	Does Change in Physical Activity During the Initial Phase of the COVID-19 Pandemic Predict Psychological Symptoms in Physically Active Adults? A Six-Month Longitudinal Study. International	2.3	0

Journal of Public Health, 0, 67, .