Jolliet Pascale

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9633963/publications.pdf

Version: 2024-02-01

279701 289141 2,015 96 23 40 citations h-index g-index papers 128 128 128 2285 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Evidence of zolpidem abuse and dependence: results of the French Centre for Evaluation and Information on Pharmacodependence (CEIP) network survey. British Journal of Clinical Pharmacology, 2007, 64, 198-209.	1.1	171
2	Antidepressant-like effects in various mice strains in the forced swimming test. Psychopharmacology, 2003, 166, 373-382.	1.5	158
3	Molecular Properties and Pharmacokinetic Behavior of Cetirizine, a Zwitterionic H1-Receptor Antagonist. Journal of Medicinal Chemistry, 1998, 41, 853-863.	2.9	122
4	An Overview of the Clinical Pharmacokinetics of X-Ray Contrast Media. Clinical Pharmacokinetics, 1997, 32, 180-193.	1.6	110
5	Are there gender differences in the temperature profile of mice after acute antidepressant administration and exposure to two animal models of depression?. Behavioural Brain Research, 2001, 119, 203-211.	1.2	55
6	Influence of tenofovir, nevirapine and efavirenz on ritonavir-boosted atazanavir pharmacokinetics in HIV-infected patients. European Journal of Clinical Pharmacology, 2006, 62, 523-526.	0.8	55
7	An Update on Zolpidem Abuse and Dependence. Journal of Addictive Diseases, 2014, 33, 15-23.	0.8	55
8	Comparison of antidepressant activity in 4- and 40-week-old male mice in the forced swimming test: involvement of 5-HT1A and 5-HT1B receptors in old mice. Psychopharmacology, 2001, 153, 443-449.	1.5	52
9	Glucocorticoids decrease cytochrome c oxidase activity of isolated rat kidney mitochondria. FEBS Letters, 1998, 435, 25-28.	1.3	49
10	Evidence for a 5-HT2A receptor mode of action in the anxiolytic-like properties of DOI in mice. Behavioural Brain Research, 2003, 147, 175-184.	1.2	49
11	Blood-to-brain transfer of various oxicams: effects of plasma binding on their brain delivery. Pharmaceutical Research, 1997, 14, 650-656.	1.7	47
12	Evidence of lowest brain penetration of an antiemetic drug, metopimazine, compared to domperidone, metoclopramide and chlorpromazine, using an in vitro model of the blood–brain barrier. Pharmacological Research, 2007, 56, 11-17.	3.1	43
13	Population pharmacokinetics of imipenem in burn patients. Fundamental and Clinical Pharmacology, 2003, 17, 645-650.	1.0	41
14	Pathological Gambling Associated With Aripiprazole or Dopamine Replacement Therapy. Journal of Clinical Psychopharmacology, 2016, 36, 63-70.	0.7	38
15	No relationship between high nevirapine plasma concentration and hepatotoxicity in HIV-1-infected patients naive of antiretroviral treatment or switched from protease inhibitors. European Journal of Clinical Pharmacology, 2004, 60, 343-8.	0.8	33
16	Renal thrombotic microangiopathy caused by interferon beta-1a treatment for multiple sclerosis. Drug Design, Development and Therapy, 2013, 7, 723.	2.0	31
17	Evidence from a population pharmacokinetics analysis for a major effect of CYP1A2 activity on interand intraindividual variations of clozapine clearance. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 699-703.	2.5	27
18	Cannabis and anticancer drugs: societal usage and expected pharmacological interactions – a review. Fundamental and Clinical Pharmacology, 2018, 32, 462-484.	1.0	27

#	Article	IF	Citations
19	Nitrous Oxide: What do we Know about its use Disorder Potential? Results of the French Monitoring Centre for Addiction Network Survey and Literature Review. Substance Abuse, 2019, 40, 33-42.	1.1	27
20	Influence of glomerular filtration rate on the clearance of vancomycin administered by continuous infusion in burn patients. International Journal of Antimicrobial Agents, 2008, 31, 537-539.	1.1	23
21	Cannabinoid hyperemesis syndrome: Review of the literature and of cases reported to the French addictovigilance network. Drug and Alcohol Dependence, 2018, 182, 27-32.	1.6	23
22	Dependence on Prescription Benzodiazepines and Z-drugs Among Young to Middle-aged Patients in France. Substance Use and Misuse, 2015, 50, 320-327.	0.7	22
23	Population pharmacokinetics of ceftazidime in burn patients. British Journal of Clinical Pharmacology, 2003, 56, 629-634.	1.1	21
24	Evaluation of a Methotrexate Chemiluminescent Microparticle Immunoassay. American Journal of Clinical Pathology, 2016, 146, 119-124.	0.4	21
25	Pharmacokinetic evidence for the induction of lopinavir metabolism by efavirenz. British Journal of Clinical Pharmacology, 2005, 60, 32-34.	1.1	20
26	Can We Say that Seniors Are Addicted to Benzodiazepines?. Substance Use and Misuse, 2010, 45, 1988-1999.	0.7	20
27	A fast LC-MS/MS assay for methotrexate monitoring in plasma: validation, comparison to FPIA and application in the setting of carboxypeptidase therapy. Analytical Methods, 2014, 6, 178-186.	1.3	20
28	Pleural adverse drugs reactions and protein kinase inhibitors: Identification of suspicious targets by disproportionality analysis from VigiBase. British Journal of Clinical Pharmacology, 2018, 84, 2373-2383.	1.1	20
29	First Case of Symmetric Drug-Related Intertriginous and Flexural Exanthema (SDRIFE) due to Rivastigmine?. American Journal of Clinical Dermatology, 2011, 12, 210-213.	3.3	19
30	Simultaneous determination of eight \hat{l}^2 -lactam antibiotics in human plasma and cerebrospinal fluid by liquid chromatography coupled to tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112904.	1.4	19
31	The French addictovigilance network clinical assessment: Z-drugs, true false twins. Expert Opinion on Drug Safety, 2017, 16, 1063-1069.	1.0	18
32	Pharmacoepidemiological characterization of psychotropic drugs consumption using a latent class analysis. International Clinical Psychopharmacology, 2011, 26, 54-62.	0.9	17
33	Benzodiazepines Consumption: Does Dependence Vary with Age?. Substance Use and Misuse, 2014, 49, 1417-1425.	0.7	15
34	Stability and Compatibility of Antibiotics in Peritoneal Dialysis Solutions Applied to Automated Peritoneal Dialysis in the Pediatric Population. Peritoneal Dialysis International, 2016, 36, 676-679.	1.1	15
35	Psychiatric disorders, acne and systemic retinoids: comparison of risks. Expert Opinion on Drug Safety, 2017, 16, 989-995.	1.0	15
36	Change in the regulatory framework for zolpidem: What is the impact on the landscape of the prescription of sedative medications? The French national ZORRO study. British Journal of Clinical Pharmacology, 2021, 87, 3310-3319.	1.1	14

#	Article	lF	CITATIONS
37	Medical, social, and law characteristics of intoxicant's users medically examined in police custody. Journal of Clinical Forensic and Legal Medicine, 2013, 20, 1083-1086.	0.5	13
38	Off-label Prescriptions: how to Identify Them, Frame Them, Announce Them and Monitor Them in Practice?. Therapie, 2013, 68, 233-239.	0.6	13
39	Adverse Drug Reactions in Pediatric Emergency Medicine. Annals of Pharmacotherapy, 2015, 49, 1298-1304.	0.9	13
40	Population Pharmacokinetic Study of Cefazolin Dosage Adaptation in Bacteremia and Infective Endocarditis Based on a Nomogram. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	13
41	Crushed and Injected Buprenorphine Tablets: Characteristics of Princeps and Generic Solutions. PLoS ONE, 2014, 9, e113991.	1.1	13
42	Prophylactic cefazolin concentrations in morbidly obese patients undergoing sleeve gastrectomy: do we achieve targets?. International Journal of Antimicrobial Agents, 2018, 52, 28-34.	1.1	12
43	Interaction between CYP2D6 inhibitor antidepressants and codeine: is this relevant?. Expert Opinion on Drug Metabolism and Toxicology, 2018, 14, 879-886.	1.5	12
44	French national health insurance database analysis and field study focusing on the impact of secure prescription pads on zolpidem consumption and sedative drug misuse: ZORRO study protocol. BMJ Open, 2019, 9, e027443.	0.8	12
45	Consumption of psychoactive substances in prison: Between initiation and improvement, what trajectories occur after incarceration? COSMOS study data. PLoS ONE, 2019, 14, e0225189.	1.1	12
46	Chiral on-line solid phase extraction coupled to liquid chromatography–tandem mass spectrometry assay for quantification of (R) and (S) enantiomers of methadone and its main metabolite in plasma. Talanta, 2015, 134, 373-378.	2.9	11
47	Benzodiazepine withdrawal in older people: what is the prevalence, what are the signs, and which patients?. European Journal of Clinical Pharmacology, 2021, 77, 171-177.	0.8	11
48	A population approach to study the influence of nevirapine administration on lopinavir pharmacokinetics in HIV-1 infected patients. European Journal of Clinical Pharmacology, 2005, 61, 153-156.	0.8	10
49	A follow-up study of a population of schizophrenic patients treated with clozapine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2001, 25, 1481-1495.	2.5	9
50	Diuretic drug therapy monitoring in the elderly: a cohort study. European Journal of Clinical Pharmacology, 2008, 64, 433-437.	0.8	9
51	Management of cannabis use during pregnancy: an assessment of healthcare professionals' practices. Pharmacoepidemiology and Drug Safety, 2011, 20, 464-473.	0.9	9
52	Comparison Between an Automated and Manual Extraction for the Determination of Immunosuppressive Drugs Whole Blood Concentrations by Liquid Chromatography Tandem Mass Spectrometry. Journal of Clinical Laboratory Analysis, 2016, 30, 924-929.	0.9	9
53	Immediate-Type Hypersensitivity Cross-Reactions to Proton Pump Inhibitors: A Descriptive Study of Data from the French National Pharmacovigilance Database. International Archives of Allergy and Immunology, 2019, 178, 159-166.	0.9	9
54	Prevalence of zolpidem use in France halved after secure prescription pads implementation in 2017: A SNDS database nested cohort study. PLoS ONE, 2020, 15, e0228495.	1.1	9

#	Article	lF	Citations
55	Status epilepticus following self-poisoning of lacosamide and lamotrigine: A case report with follow-up of drug serum concentrations. Toxicologie Analytique Et Clinique, 2015, 27, 88-90.	0.1	8
56	Influence of nevirapine administration on the pharmacokinetics of dolutegravir in patients infected with HIV-1. Journal of Antimicrobial Chemotherapy, 2015, 70, dkv245.	1.3	8
57	Evaluation of problematic psychoactive substances use in people placed in police custody. Journal of Clinical Forensic and Legal Medicine, 2017, 49, 24-32.	0.5	8
58	pH dependent binding of ligands to serum lipoproteins. Pharmaceutical Research, 1997, 14, 527-532.	1.7	7
59	Development and validation of a dosing nomogram for amoxicillin in infective endocarditis. Journal of Antimicrobial Chemotherapy, 2020, 75, 2941-2950.	1.3	7
60	CYP1A2 and tobacco interaction: a major pharmacokinetic challenge during smoking cessation. Drug Metabolism Reviews, 2021, 53, 30-44.	1.5	7
61	Poppers Use and High Methaemoglobinaemia: â€~Dangerous Liaisons'. Pharmaceuticals, 2021, 14, 1061.	1.7	7
62	Epidemiological Characterization of Drug Overconsumption: The Example of Antidepressants. Journal of Addictive Diseases, 2011, 30, 342-350.	0.8	6
63	Poppers regulation for public sale: No measure in France yet. Therapie, 2018, 73, 217-221.	0.6	6
64	Do older people know why they take benzodiazepines? A national French crossâ€sectional survey of longâ€term consumers. International Journal of Geriatric Psychiatry, 2020, 35, 870-876.	1.3	6
65	Are Seniors Dependent on Benzodiazepines? A National Clinical Survey of Substance Use Disorder. Clinical Pharmacology and Therapeutics, 2021, 109, 528-535.	2.3	6
66	No Significant Influence of Saquinavir Hard-Gel Capsule Administration on Pharmacokinetics of Lopinavir in Combination With Ritonavir. Therapeutic Drug Monitoring, 2005, 27, 782-784.	1.0	5
67	A simple formula for individualising ceftazidime dosage administered by continuous infusion in patients with haematological malignancies. International Journal of Antimicrobial Agents, 2006, 27, 553-556.	1.1	5
68	Validation and application of a fast semi-automated whole blood extraction for LC-MS/MS simultaneous quantification of cyclosporine A, tacrolimus, sirolimus and everolimus – application to high throughput routine therapeutic drug monitoring. Analytical Methods, 2013, 5, 5079.	1.3	5
69	Buprenorphine Prescription Compliance: An Original Observational and Longitudinal Study. Journal of Psychoactive Drugs, 2014, 46, 162-167.	1.0	5
70	High prevalence of kaolin consumption in migrant women living in a major urban area of France: A cross-sectional investigation. PLoS ONE, 2019, 14, e0220557.	1.1	5
71	Assessment of drug–drug interaction in an elderly human immunodeficiency virus population: Comparison of 3 expert databases. British Journal of Clinical Pharmacology, 2021, 87, 1194-1202.	1.1	5
72	Real Medical Benefit Assessed by Indirect Comparison. Therapie, 2009, 64, 229-232.	0.6	4

#	Article	IF	CITATIONS
73	Evaluation of the QMS®Teicoplanin Immunoassay (ThermoFisher Scientific) on Cobas®8000 System (Roche Diagnostics) and Comparison to Fluorescence Polarization Immunoassay for the Determination of Teicoplanin Concentrations in Human Plasma. Journal of Clinical Laboratory Analysis, 2013, 27, 96-98.	0.9	4
74	PHEDRE trial protocol – observational study of the prevalence of problematic use of Equimolar Mixture of Oxygen and Nitrous Oxide (EMONO) and analgesics in the French sickle-cell disease population. BMC Psychiatry, 2015, 15, 281.	1.1	4
75	Multicentre study for validation of the French addictovigilance network reports assessment tool. British Journal of Clinical Pharmacology, 2016, 82, 1030-1039.	1.1	4
76	Virological response to darunavir in patients infected with HIV is linked to darunavir resistance–associated mutations corrected by the count of mutations with positive impact and is not associated with pharmacological and combined virological/pharmacological parameters. Fundamental and Clinical Pharmacology, 2012, 26, 538-542.	1.0	3
77	Parachuting: a dangerous trend in recreational psychoactive substance delivery. Expert Opinion on Drug Delivery, 2017, 14, 491-498.	2.4	3
78	Effect of Efavirenz, Nevirapine, Etravirine, and Raltegravir Administration on the Pharmacokinetics of Ritonavir-Boosted Darunavir in a Population of HIV-Infected Patients. AIDS Research and Human Retroviruses, 2013, 29, 42-46.	0.5	2
79	Information and Communication on Risks Related to Medications and Proper Use of Medications for Healthcare Professionals and the General Public: Precautionary Principle, Risk Management, Communication During and in the Absence of Crisis Situations. Therapie, 2014, 69, 361-366.	0.6	2
80	Accidental poisoning with brimonidine eye drops in a 9-day-old infant. Toxicologie Analytique Et Clinique, 2015, 27, 14-17.	0.1	2
81	Pharmacists' different profiles characterization about opioid substitution treatments. Therapie, 2016, 71, 379-387.	0.6	2
82	Use of psychotropic drug urine test strips in opiate maintenance therapy: A clinical assessment of its advantages. Substance Abuse, 2016, 37, 584-590.	1.1	2
83	Did the pattern of use of zolpidem change since the enforcement of a new prescription rule? A latent class analysis using the French health insurance database. Expert Opinion on Drug Safety, 2022, , 1-10.	1.0	2
84	How to Best Define Target Populations of Medicines in View of Their Coverage by the National Health Insurance Scheme?. Therapie, 2010, 65, 341-345.	0.6	1
85	Descriptive analysis of sickle cell patients living in France: The PHEDRE cross-sectional study. PLoS ONE, 2021, 16, e0248649.	1.1	1
86	What about regular hematological monitoring during clozapine treatment? A compliance analysis using the French health insurance database. Expert Opinion on Drug Safety, 2021, 20, 1247-1256.	1.0	1
87	Potential drug–drug interactions when managing status epilepticus patients in intensive care: A cohort study. British Journal of Clinical Pharmacology, 2022, 88, 2408-2418.	1.1	1
88	Adaptation de la posologie des neuroleptiques. Revue Francaise Des Laboratoires, 1998, 1998, 85-88.	0.0	0
89	Reply. Annals of Pharmacotherapy, 2016, 50, 332-333.	0.9	0
90	Medicated or not medicated hypnotic substance use: strategies in sleep disorders among patients of community pharmacy. Fundamental and Clinical Pharmacology, 2019, 33, 216-222.	1.0	0

#	Article	IF	CITATIONS
91	ZORRO: When the mask falls off—Comment. British Journal of Clinical Pharmacology, 2022, 88, 2450-2451.	1.1	0
92	Clinical Relevance of the Interaction When Switching Non-Nucleoside Reverse Transcriptase Inhibitors in Patients Infected with HIV. Current Clinical Pharmacology, 2014, 9, 399-403.	0.2	0
93	Title is missing!. , 2020, 15, e0228495.		O
94	Title is missing!. , 2020, 15, e0228495.		0
95	Title is missing!. , 2020, 15, e0228495.		O
96	Title is missing!. , 2020, 15, e0228495.		0