
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/973412/publications.pdf Version: 2024-02-01



ASHDAFIII ALAM

#	Article	IF	CITATIONS
1	Sugarâ€sweetened beverage consumption and overweight and obesity in adolescents in Ho Chi Minh City, Vietnam: a populationâ€based analysis. Pediatrics International, 2022, 64, .	0.5	5
2	The Shishu Pushti Trial–Extended Peer Counseling for Improving Feeding Practices and Reducing Undernutrition in Children Aged 0-48 Months in Urban Bangladesh: Protocol for a Cluster-Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e31475.	1.0	1
3	Breastfeeding perceptions and exclusive breastfeeding practices: A qualitative comparative study in rural and urban Central Java, Indonesia. Appetite, 2022, 170, 105907.	3.7	9
4	Pregnant Women's Exposure to Household Air Pollution in Rural Bangladesh: A Feasibility Study for Poriborton: The CHANge Trial. International Journal of Environmental Research and Public Health, 2022, 19, 482.	2.6	7
5	Wealth- and education-related inequalities in minimum dietary diversity among Indonesian infants and young children: a decomposition analysis. Global Health Action, 2022, 15, 2040152.	1.9	2
6	Effect of a peer-led education intervention on dietary behaviour and physical activity among adolescents in Ho Chi Minh City, Vietnam: a pilot study. European Journal of Clinical Nutrition, 2022, , .	2.9	0
7	Protocol for a cluster randomised controlled trial of LPG cookstoves compared to usual cooking practices to reduce perinatal mortality and morbidity in rural Bangladesh called Poriborton: the CHANge trial. Trials, 2022, 23, 325.	1.6	2
8	The impact of a package of behaviour change interventions on breastfeeding practices in East Java Province, Indonesia. Maternal and Child Nutrition, 2022, , e13362.	3.0	2
9	The Role of mHealth Interventions in Changing Gender Relations: Systematic Review of Qualitative Findings. JMIR Human Factors, 2022, 9, e32330.	2.0	5
10	Determinants of low breastfeeding self-efficacy amongst mothers of children aged less than six months: results from the BADUTA study in East Java, Indonesia. International Breastfeeding Journal, 2021, 16, 12.	2.6	9
11	Modifiable socio-cultural beliefs and practices influencing early and adequate utilisation of antenatal care in rural Bangladesh: A qualitative study. Midwifery, 2021, 93, 102881.	2.3	4
12	Bovine Lactoferrin to Prevent Neonatal Infections in Low-Birth-Weight Newborns in Pakistan: Protocol for a Three-Arm Double-Blind Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e23994.	1.0	0
13	An analysis of the impact of newborn survival policies in Pakistan using a policy triangle framework. Health Research Policy and Systems, 2021, 19, 86.	2.8	4
14	Assessing the impact of a combined nutrition counselling and cash transfer intervention on women's empowerment in rural Bangladesh: a randomised control trial protocol. BMJ Open, 2021, 11, e044263.	1.9	1
15	Delayed Initiation of Breastfeeding and Role of Mode and Place of Childbirth: Evidence from Health Surveys in 58 Low- and Middle- Income Countries (2012–2017). International Journal of Environmental Research and Public Health, 2021, 18, 5976.	2.6	16
16	"My husband is my family.―The culture of pregnancy disclosure and its implications on early pregnancy registration in a child nutrition intervention in rural Maharashtra, India. Midwifery, 2021, 103, 103141.	2.3	4
17	Factors associated with delayed initiation of breastfeeding in health facilities: secondary analysis of Bangladesh demographic and health survey 2014. International Breastfeeding Journal, 2021, 16, 14.	2.6	19
18	â€ĩI should have seen her face at least once': parent's and healthcare providers' experiences and practices of care after stillbirth in Kabul province, Afghanistan. Journal of Perinatology, 2021, 41, 2182-2195.	2.0	5

#	Article	IF	CITATIONS
19	Barriers to uptaking HIV testing among pregnant women attending antenatal clinics in low―and middleâ€income countries: A systematic review of qualitative findings. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 817-829.	1.0	4
20	Trends and determinants of minimum dietary diversity among children aged 6-23 months: a pooled analysis of Indonesia Demographic and Health Surveys from 2007 to 2017. Public Health Nutrition, 2021, , 1-28.	2.2	10
21	Traditional practices during pregnancy and birth, and perceptions of perinatal losses in women of rural Pakistan. Midwifery, 2020, 91, 102854.	2.3	7
22	Shonjibon cash and counselling: a community-based cluster randomised controlled trial to measure the effectiveness of unconditional cash transfers and mobile behaviour change communications to reduce child undernutrition in rural Bangladesh. BMC Public Health, 2020, 20, 1776.	2.9	4
23	How Can We Improve the Consumption of a Nutritionally Balanced Maternal Diet in Rural Bangladesh? The Key Elements of the "Balanced Plate―Intervention. International Journal of Environmental Research and Public Health, 2020, 17, 6289.	2.6	8
24	Effect of an Integrated Package of Nutrition Behavior Change Interventions on Infant and Young Child Feeding Practices and Child Growth from Birth to 18 Months: Cohort Evaluation of the Baduta Cluster Randomized Controlled Trial in East Java, Indonesia. Nutrients, 2020, 12, 3851.	4.1	8
25	Exploring women's experience of healthcare use during pregnancy and childbirth to understand factors contributing to perinatal deaths in Pakistan: A qualitative study. PLoS ONE, 2020, 15, e0232823.	2.5	7
26	"In the past, the seeds I planted often didn't grow.―A Mixed-Methods Feasibility Assessment of Integrating Agriculture and Nutrition Behaviour Change Interventions with Cash Transfers in Rural Bangladesh. International Journal of Environmental Research and Public Health, 2020, 17, 4153.	2.6	7
27	A Feasibility Study Assessing Acceptability and Supply Issues of Distributing LPG Cookstoves and Gas Cylinders to Pregnant Women Living in Rural Bangladesh for Poriborton: The CHANge Trial. International Journal of Environmental Research and Public Health, 2020, 17, 848.	2.6	7
28	Understanding pathways leading to stillbirth: The role of care-seeking and care received during pregnancy and childbirth in Kabul province, Afghanistan. Women and Birth, 2020, 33, 544-555.	2.0	9
29	Self-adopted â€~natural users' of liquid petroleum gas for household cooking by pregnant women in rural Bangladesh: characteristics of high use and opportunities for intervention. Environmental Research Letters, 2020, 15, 095008.	5.2	10
30	Evaluation of a Package of Behaviour Change Interventions (Baduta Program) to Improve Maternal and Child Nutrition in East Java, Indonesia: Protocol for an Impact Study. JMIR Research Protocols, 2020, 9, e18521.	1.0	6
31	Improving the Lifestyle of Adolescents Through Peer Education and Support in Vietnam: Protocol for a Pilot Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15930.	1.0	3
32	Title is missing!. , 2020, 15, e0232823.		0
33	Title is missing!. , 2020, 15, e0232823.		0
34	Title is missing!. , 2020, 15, e0232823.		0
35	Title is missing!. , 2020, 15, e0232823.		0

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0232823.		0
38	Assessing the Intergenerational Linkage between Short Maternal Stature and Under-Five Stunting and Wasting in Bangladesh. Nutrients, 2019, 11, 1818.	4.1	29
39	How community and healthcare provider perceptions, practices and experiences influence reporting, disclosure and data collection on stillbirth: Findings of a qualitative study in Afghanistan. Social Science and Medicine, 2019, 236, 112413.	3.8	18
40	Early initiation of breastfeeding and severe illness in the early newborn period: An observational study in rural Bangladesh. PLoS Medicine, 2019, 16, e1002904.	8.4	28
41	Mâ€SAKHI—Mobile health solutions to help community providers promote maternal and infant nutrition and health using a communityâ€based cluster randomized controlled trial in rural India: A study protocol. Maternal and Child Nutrition, 2019, 15, e12850.	3.0	15
42	Risk of adverse pregnancy outcomes associated with short and long birth intervals in Bangladesh: evidence from six Bangladesh Demographic and Health Surveys, 1996–2014. BMJ Open, 2019, 9, e024392.	1.9	22
43	Perceptions and practices related to birthweight in rural Bangladesh: Implications for neonatal health programs in low- and middle-income settings. PLoS ONE, 2019, 14, e0221691.	2.5	11
44	Effectiveness of a mobile health intervention on infant and young child feeding among children ≤24 months of age in rural Islamabad over six months duration. F1000Research, 2019, 8, 551.	1.6	4
45	Household Food Security and Birth Size of Infants: Analysis of the Bangladesh Demographic and Health Survey 2011. Current Developments in Nutrition, 2018, 2, nzy003.	0.3	23
46	Exploring the intergenerational effects of undernutrition: association of maternal height with neonatal, infant and under-five mortality in Bangladesh. BMJ Global Health, 2018, 3, e000881.	4.7	15
47	Variations in perinatal mortality associated with different polluting fuel types and kitchen location in Bangladesh. International Journal of Occupational and Environmental Health, 2018, 24, 47-54.	1.2	16
48	Barriers Faced by the Health Workers to Deliver Maternal Care Services and Their Perceptions of the Factors Preventing Their Clients from Receiving the Services: A Qualitative Study in South Sudan. Maternal and Child Health Journal, 2018, 22, 1598-1606.	1.5	11
49	A community-based cluster randomised controlled trial in rural Bangladesh to evaluate the impact of the use of iron-folic acid supplements early in pregnancy on the risk of neonatal mortality: the Shonjibon trial. BMC Public Health, 2018, 18, 816.	2.9	3
50	How can mobile phones be used to improve nutrition service delivery in rural Bangladesh?. BMC Health Services Research, 2018, 18, 530.	2.2	14
51	"The system here isn't on patients' side― perspectives of women and men on the barriers to access and utilizing maternal healthcare services in South Sudan. BMC Health Services Research, 2018, 18, 10.	ing <sub>2.2</sub>	31
52	Mobile-Based Nutrition Counseling and Unconditional Cash Transfers for Improving Maternal and Child Nutrition in Bangladesh: Pilot Study. JMIR MHealth and UHealth, 2018, 6, e156.	3.7	24
53	Making a balanced plate for pregnant women to improve birthweight of infants: a study protocol for a cluster randomised controlled trial in rural Bangladesh. BMJ Open, 2017, 7, e015393.	1.9	12
54	Perceptions and Practices Related to Obesity in Adolescent Students and Their Programmatic Implications: Qualitative Evidence from Ho Chi Minh City, Vietnam. Maternal and Child Health Journal, 2017, 21, 2199-2208.	1.5	6

#	Article	IF	CITATIONS
55	Factors associated with intention to exclusive breastfeed in central women's hospital, Yangon, Myanmar. International Breastfeeding Journal, 2017, 12, 29.	2.6	13
56	Mobile Phone Short Messages to Improve Breastfeeding Feeding Practices: A Study Protocol for a Randomized Controlled Trial in Yangon, Myanmar. JMIR Research Protocols, 2017, 6, e126.	1.0	14
57	Household Air Pollution Intervention Implications: Findings from Qualitative Studies and a Field Trial of Clean Cookstoves in Two Rural Villages in India. International Journal of Environmental Research and Public Health, 2016, 13, 893.	2.6	20
58	A formative study to inform mHealth based randomized controlled trial intervention to promote exclusive breastfeeding practices in Myanmar: incorporating qualitative study findings. BMC Medical Informatics and Decision Making, 2016, 16, 60.	3.0	29
59	Qualitative exploration of facilitating factors and barriers to use of antenatal care services by pregnant women in urban and rural settings in Pakistan. BMC Pregnancy and Childbirth, 2016, 16, 42.	2.4	21
60	Sociocultural factors perpetuating the practices of early marriage and childbirth in Sylhet District, Bangladesh. International Health, 2015, 7, 212-217.	2.0	20
61	How can formative research inform the design of an iron-folic acid supplementation intervention starting in first trimester of pregnancy in Bangladesh?. BMC Public Health, 2015, 15, 374.	2.9	45
62	Function, health and psychosocial needs in job-seekers with anxiety, mood, and psychotic disorders who access disability employment services. Work, 2014, 49, 271-279.	1.1	5
63	A study of physician collaborations through social network and exponential random graph. BMC Health Services Research, 2013, 13, 234.	2.2	39
64	Maternal empowerment and healthcare access determines stillbirths and early neonatal mortality in Pakistan: analysis of demographic and health survey 2012-13. Journal of Global Health Reports, 0, 2, .	1.0	5
65	Use of Mobile Phones for Infant and Young Child Feeding Counseling in Sri Lankan Tea Estates: A Formative Study. Qualitative Report, 0, , .	0.1	1
66	Understanding maternal dietary behaviour and perceived attributes of foods in the context of food insecurity in rural Bangladesh: a qualitative study. Journal of Global Health Reports, 0, , .	1.0	2