
Andreas Höch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/978/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Outcome and 2-Year Survival Rate in Elderly Patients With Lateral Compression Fractures of the Pelvis. Geriatric Orthopaedic Surgery and Rehabilitation, 2017, 8, 3-9.	1.4	65
2	In-screw polymethylmethacrylate-augmented sacroiliac screw for the treatment of fragility fractures of the pelvis: a prospective, observational study with 1-year follow-up. BMC Surgery, 2017, 17, 132.	1.3	49
3	Geriatric Acetabular Surgery: Letournel's Contraindications Then and Now—Data From the German Pelvic Registry. Journal of Orthopaedic Trauma, 2019, 33, S8-S13.	1.4	30
4	Fragility Fractures of the Pelvis Classification. Journal of Bone and Joint Surgery - Series A, 2019, 101, 987-994.	3.0	26
5	Biomechanical analysis of stiffness and fracture displacement after using PMMA-augmented sacroiliac screw fixation for sacrum fractures. Biomedizinische Technik, 2017, 62, 421-428.	0.8	21
6	Evaluation of decision-making in the treatment of acetabular fractures. EFORT Open Reviews, 2022, 7, 84-94.	4.1	14
7	Ligamentâ€induced sacral fractures of the pelvis are possible. Clinical Anatomy, 2014, 27, 770-777.	2.7	13
8	Age and "general healthâ€â€"beside fracture classification—affect the therapeutic decision for geriatric pelvic ring fractures: a German pelvic injury register study. International Orthopaedics, 2019, 43, 2629-2636.	1.9	13
9	Development of a Patient-Specific Finite Element Model for Predicting Implant Failure in Pelvic Ring Fracture Fixation. Computational and Mathematical Methods in Medicine, 2017, 2017, 1-11.	1.3	12
10	Trends and efficacy of external emergency stabilization of pelvic ring fractures: results from the German Pelvic Trauma Registry. European Journal of Trauma and Emergency Surgery, 2021, 47, 523-531.	1.7	12
11	Comparison of pelvic C-clamp and pelvic binder for emergency stabilization and bleeding control in type-C pelvic ring fractures. Scientific Reports, 2021, 11, 2338.	3.3	11
12	Time-to-treatment is a risk factor for the development of pressure ulcers in elderly patients with fractures of the pelvis and acetabulum. Injury, 2020, 51, 352-356.	1.7	10
13	Percutaneous operative treatment of fragility fractures of the pelvis may not increase the general rate of complications compared to non-operative treatment. European Journal of Trauma and Emergency Surgery, 2022, 48, 3729-3735.	1.7	9
14	The influence of different sample preparation on mechanical properties of human iliotibial tract. Scientific Reports, 2020, 10, 14836.	3.3	8
15	Pararectus approach vs. Stoppa approach for the treatment of acetabular fractures–Âa comparison of approach-related complications and operative outcome parameters from the German Pelvic Registry. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 103275.	2.0	8
16	Associated abdominal injuries do not influence quality of care in pelvic fractures—a multicenter cohort study from the German Pelvic Registry. World Journal of Emergency Surgery, 2020, 15, 8.	5.0	7
17	Severe cardiac trauma or myocardial ischemia? Pitfalls of polytrauma treatment in patients with ST-elevation after blunt chest trauma. Annals of Medicine and Surgery, 2015, 4, 254-259.	1.1	4
18	Intra- and interrater reliabilities and a method comparison of 2D and 3D techniques in cadavers to determine sacroiliac screw loosening. Scientific Reports, 2019, 9, 3141.	3.3	3

Andreas Höch

#	Article	IF	CITATIONS
19	A computed tomography based survey study investigating the agreement of the therapeutic strategy for fragility fractures of the pelvis. Scientific Reports, 2022, 12, 2326.	3.3	2
20	Efficacy of an antigravity treadmill on functional outcome in non-operatively treated pelvic fractures: a prospective pilot study. International Journal of Therapy and Rehabilitation, 2019, 26, 1-9.	0.3	1
21	A comparison on the detection accuracy of ante mortem computed tomography vs. autopsy for the diagnosis of pelvic ring injury in legal medicine. Journal of Forensic Sciences, 2021, 66, 919-925.	1.6	1
22	Patients with combined pelvic and spinal injuries have worse clinical and operative outcomes than patients with isolated pelvic injuries analysis of the German Pelvic Registry. BMC Musculoskeletal Disorders, 2022, 23, 251.	1.9	1
23	An Atraumatic Symphysiolysis with a Unilateral Injured Sacroiliac Joint in a Patient with Cushing's Disease: A Loss of Pelvic Stability Related to Ligamentous Insufficiency?. Case Reports in Orthopedics, 2016, 2016, 1-8.	0.3	0